

according to 29 CFR 1910.1200(g)

PUR 505

Revision date: 11/19/2020 Product code: 10703 Page 1 of 9

1. Identification

Product identifier

PUR 505

Recommended use of the chemical and restrictions on use

Use of the substance/mixture

Adhesives, sealants

Uses advised against

No further relevant information available.

Details of the supplier of the safety data sheet

Manufacturer

Company name: DINOL GmbH

Street: Pyrmonter Strasse 76
Place: D-32676 Luegde

Telephone: + 49 (0) 5281 982980 Telefax: + 49 (0) 5281 9829860

e-mail: msds@dinol.com

Contact person: Labor

Responsible Department: msds@dinol.com

Supplier

Company name: DINOL U.S. Inc.

Street: 8520 Cotter Street, Lewis Center

Place: USA-43035 Ohio

Telephone: 740-548-1656 Telefax: 740-548-1657

e-mail: info@dinolus.com Internet: www.dinol.com

Emergency phone number: 3E Company Emergency +1-866-404-4230

2. Hazard(s) identification

Classification of the chemical

29 CFR Part 1910.1200

Respiratory or skin sensitization: Resp. Sens. 1 Respiratory or skin sensitization: Skin Sens. 1

Carcinogenicity: Carc. 2

Label elements

29 CFR Part 1910.1200

Signal word: Danger

Pictograms:



Hazard statements

May cause an allergic skin reaction

May cause allergy or asthma symptoms or breathing difficulties if inhaled

Suspected of causing cancer

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapors/spray.



according to 29 CFR 1910.1200(g)

PUR 505

Revision date: 11/19/2020 Product code: 10703 Page 2 of 9

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

Wear respiratory protection.

Specific treatment (see on this label).

If on skin: Wash with plenty of water.

Wash contaminated clothing before reuse.

If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

If experiencing respiratory symptoms: Call a poison center/doctor.

If exposed or concerned: Get medical advice/attention.

Store locked up.

Hazards not otherwise classified

No information available.

3. Composition/information on ingredients

Mixtures

Hazardous components

CAS No	Components	Quantity
1333-86-4	Carbon Black	24 %
28182-81-2	Hexamethylene diisocyanate, oligomers	4.9 %
101-68-8	4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate	0.9 %
107-66-4	Dibutyl hydrogen phosphate	0.1 %

4. First-aid measures

Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice.

Never give anything by mouth to an unconscious person or a person with cramps.

If unconscious place in recovery position and seek medical advice.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

After contact with skin

Change contaminated clothing.

Wash with plenty of water/Soap.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).

Do NOT induce vomiting.

Call a physician immediately.

Put victim at rest, cover with a blanket and keep warm.

Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No information available.

5. Fire-fighting measures

Extinguishing media



according to 29 CFR 1910.1200(g)

PUR 505

Revision date: 11/19/2020 Product code: 10703 Page 3 of 9

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Extinguishing powder, Water fog.

Unsuitable extinguishing media

High power water jet.

Specific hazards arising from the chemical

No further relevant information available.

Special protective equipment and precautions for fire-fighters

No further relevant information available.

Additional information

Use water spray/stream to protect personnel and to cool endangered containers. Supress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures

Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Environmental precautions

Do not allow to enter into surface water or drains.

Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Prevent spread over a wide area (e.g. by containment or oil barriers).

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Other information

No information available.

Reference to other sections

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe gas/fume/vapour/spray.

Advice on protection against fire and explosion

No further relevant information available.

Further information on handling

No further relevant information available.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

No further relevant information available.



according to 29 CFR 1910.1200(g)

PUR 505

Revision date: 11/19/2020 Product code: 10703 Page 4 of 9

Hints on joint storage

Not required.

Further information on storage conditions

maximum storage temperature : < 35°C minimum storage temperature : > 0°C storage temperature: : 0 - 35 °C

8. Exposure controls/personal protection

Control parameters

Exposure limits

AS No.	Substance	ppm	mg/m³	f/cc	Category	Origin
333-86-4	Carbon black (in presence of polycyclic aromatic hydrocarbons (PAHs)) (as PAHs)	-	0.1		TWA (8 h)	REL
333-86-4	Carbon black	-	3.5		TWA (8 h)	PEL
07-66-4	Dibutyl phosphate	1	5		TWA (8 h)	PEL
		1	5		TWA (8 h)	REL
		2	10		STEL (15 min)	REL
01-68-8	Methylene bisphenyl isocyanate (MDI)	C 0.02	C 0.2		Ceiling	PEL
01-68-8	Methylene bisphenyl isocyanate	0.005	0.05		TWA (8 h)	REL
		C 0.02	C 0.2		Ceiling	REL
631-86-9	Silica, amorphous	-	6		TWA (8 h)	REL
01-68-8	Methylene bisphenyl isocyanate	0.005	0.05 C 0.2		TWA (8 h) Ceiling	

Exposure controls







Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Protective and hygiene measures

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Eye glasses with side protection (DIN EN 166)

Hand protection

Tested protective gloves must be worn (EN ISO 374):

FKM (fluoro rubber), Breakthrough time (maximum wearing time): 480 min.

NBR (Nitrile rubber), Breakthrough time (maximum wearing time): 480 min.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.



according to 29 CFR 1910.1200(g)

PUR 505

Revision date: 11/19/2020 Product code: 10703 Page 5 of 9

Skin protection

Wear anti-static footwear and clothing

Respiratory protection

Work in well-ventilated zones or use proper respiratory protection.

In case of inadequate ventilation wear respiratory protection. gas filtering equipment (EN 141)., Filter

material/medium: A/P2

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: Paste Color: black

Odor: characteristic
Odour threshold: not determined

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

> 200 °C

boiling range:

Flash point: 101 °C

Explosive properties

not determined

Lower explosion limits:0,4 vol. %Upper explosion limits:2,9 vol. %Auto-ignition temperature:> 300 °C

Oxidizing properties

not determined

Density (at 20 °C): 1,2 g/cm³
Water solubility: Immiscible

Solubility in other solvents

not determined

Viscosity / dynamic: not determined

Other information

No information available.

10. Stability and reactivity

Reactivity

No hazardous reaction when handled and stored according to provisions.

Chemical stability

Stability: Stable

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

Hazardous reactions: Will not occur

No known hazardous reactions.

Conditions to avoid

No further relevant information available.



according to 29 CFR 1910.1200(g)

PUR 505

Revision date: 11/19/2020 Product code: 10703 Page 6 of 9

Incompatible materials

No information available.

Hazardous decomposition products

No known hazardous decomposition products.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATFmix tested

Dose Species Source

LC50, inhalation (vapor) (4 h) 932 mg/l

CAS No	Components								
	Exposure route	Dose		Species	Source	Method			
1333-86-4	Carbon Black								
	oral	LD50 mg/kg	> 15400	Rat	GESTIS				
	dermal	LD50 mg/kg	> 3000	Rabbit	GESTIS				
28182-81-2	Hexamethylene diisocyanate, oligomers								
	oral	LD50 mg/kg	>5000	Rat					
	inhalation (4 h) vapour	LC50	11 mg/l						
	inhalation aerosol	ATE	1,5 mg/l						
101-68-8	4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate								
	oral	LD50 mg/kg	9200	Rat	GESTIS				
	inhalation vapour	ATE	11 mg/l						
	inhalation aerosol	ATE	1,5 mg/l						

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitizing effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled (4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate)

May cause an allergic skin reaction (Hexamethylene diisocyanate, oligomers; 4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate)

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer (Carbon Black; 4,4'-methylenediphenyl diisocyanate;

diphenylmethane-4,4'-diisocyanate; Dibutyl hydrogen phosphate)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.



according to 29 CFR 1910.1200(g)

PUR 505

Revision date: 11/19/2020 Product code: 10703 Page 7 of 9

Carcinogenicity (IARC): Carbon black (CAS 1333-86-4) is listed in group 2B. Silica, amorphous (CAS

7631-86-9) is listed in group 3. 4,4'-Methylenediphenyl diisocyanate (CAS

101-68-8) is listed in group 3.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

There are no data available on the preparation/mixture itself.

12. Ecological information

Ecotoxicity

There are no data available on the mixture itself.

Persistence and degradability

There are no data available on the mixture itself.

Bioaccumulative potential

There are no data available on the mixture itself.

Mobility in soil

There are no data available on the mixture itself.

Other adverse effects

No information available.

Further information

There are no data available on the preparation/mixture itself.

Do not allow to enter into surface water or drains.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Do not mix with other wastes.

RCRA Hazardous wastes (Resource Conservation and Recovery Act)

None

Contaminated packaging

Remove according to the regulations.

14. Transport information

US DOT 49 CFR 172.101

<u>Proper shipping name:</u> No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

UN number:No dangerous good in sense of this transport regulation.UN proper shipping name:No dangerous good in sense of this transport regulation.Transport hazard class(es):No dangerous good in sense of this transport regulation.Packing group:No dangerous good in sense of this transport regulation.

Marine pollutant: no

Air transport (ICAO-TI/IATA-DGR)

UN number:No dangerous good in sense of this transport regulation.UN proper shipping name:No dangerous good in sense of this transport regulation.Transport hazard class(es):No dangerous good in sense of this transport regulation.Packing group:No dangerous good in sense of this transport regulation.

Environmental hazards



according to 29 CFR 1910.1200(g)

PUR 505

Revision date: 11/19/2020 Product code: 10703 Page 8 of 9

ENVIRONMENTALLY HAZARDOUS: No

Special precautions for user

not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

15. Regulatory information

U.S. Regulations

National Inventory TSCA

Substance/product listed in the following inventories: TSCA

National regulatory information

SARA Section 304 CERCLA:

Methylenebis(phenylisocyanate)(MDI) (101-68-8): Reportable quantity = 5,000 (2270) lbs. (kg)

SARA Section 311/312 Hazards:

Carbon Black (1333-86-4): Delayed (chronic) health hazard

Hexamethylene diisocyanate, oligomers (28182-81-2): Immediate (acute) health hazard

Methylenebis(phenylisocyanate)(MDI) (101-68-8): Delayed (chronic) health hazard, Immediate (acute)

health hazard

Dibutyl hydrogen phosphate (107-66-4): Delayed (chronic) health hazard, Immediate (acute) health hazard SARA Section 313 Toxic release inventory:

Methylenebis(phenylisocyanate)(MDI) (101-68-8): De minimis limit = 1.0 %, Reportable threshold = Standard

Clean Air Act Section 112(b):

Methylenebis(phenylisocyanate)(MDI) (101-68-8)

State Regulations

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

WARNING: This product can expose you to chemicals including Carbon black (airborne, unbound particles of respirable size) (cancer), which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

16. Other information

Hazardous Materials Information Label (HMIS)

Health: 0
Flammability: 1
Physical Hazard: 0

NFPA Hazard Ratings

Health: 0
Flammability: 1
Reactivity: 0
Unique Hazard: none
Revision date: 11/19/2020
Revision No: 1,0



Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances





according to 29 CFR 1910.1200(g)

PUR 505

Revision date: 11/19/2020 Product code: 10703 Page 9 of 9

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Other data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)